

CLAUDIA ROMANO - PRODUZIONE SCIENTIFICA

PUBBLICAZIONI A STAMPA SU RIVISTE E VOLUMI NAZIONALI E INTERNAZIONALI

Numero di pubblicazioni: 54 numero di citazioni = circa 870 (H index = 19)

- (1) Trigila R., **Romano C.**, De Benedetti A., Freda L., 1993. Required Thermodynamic Parametrization Studies of magma. In F.Dobran "Global Volcanic Simulation of Vesuvius" Pisa - Giardini.
- (2) **Romano C.**, Dingwell D.B., Sterner S.M., 1994. Kinetics of quenching of hydrous feldspathic melts: Quantification using synthetic fluid inclusions. *American Mineralogist*, 79, 1125-1134.
- (3) Seifert F.A., Paris E., Dingwell D.B., Mottana A., **Romano C.**, Davoli I., 1994. *In situ* high temperature study of titanium coordination in Rb-silicate glass and liquid to 1400°C. *Glastechnische Berichte*, 67C, 221-227.
- (4) Paris E., Seifert F.A., Dingwell D.B., Mottana A., **Romano C.**, 1994. Pressure-Induced Coordination Change of Ti in Silicate Glass: a XANES Study. *Physics and Chemistry of Minerals*, 21, 510-515.
- (5) Dingwell D.B., Paris E., Seifert F.A., Mottana A., **Romano C.**, 1994. X-Ray Absorption Study of Ti-bearing Silicate Glasses. *Physics and Chemistry of Minerals*, 21, 501-509.
- (6) Zotov N., Boysen H., **Romano C.**, Dingwell D.B. and Yanev Y., 1995. Neutron Diffraction study of feldspar glasses. Mixed alkali effect. *Journal of Non-crystalline Solids*, 191, 124-131.
- (7) Gaeta M., Freda L., **Romano C.**, Trigila R., Negretti F., 1995. Melting experiments on Granitoids from Victoria Land Antarctica. VII International Symposium on Antarctic Earth Science. Proceedings.
- (8) Paris E., **Romano C.**, Ziyu W., 1995. Application of multiple scattering calculation to the study of local geometry in silicate glasses of geological interest. *Physica B*, 208 e 209, 351-355.
- (9) **Romano C.**, 1995. Solubility of water and other volatiles in aluminosilicate melts. *Plinius*, 13, 207-213.
- (10) **Romano C.**, Dingwell D.B., 1995. The temperature dependence of the speciation of water in NaAlSi₃O₈-KAlSi₃O₈ melts: an application of fictive temperatures derived from synthetic fluid-inclusions. *Contribution to Mineralogy and Petrology*, 122, 1-10.
- (11) **Romano C.**, Dingwell D.B., Hess K.U., 1995. The effect of boron on the speciation of water in haplogranitic melts. *Periodico di Mineralogia*, 64, 413-431.
- (12) Lechtenberg F., Garbe S., Freitag J., Haller M., Hansteen T.H., Knökel A., Radtke M., Sachs P.M., Schmincke H.U., **Romano C.**, Dingwell D.B., 1996. The X-ray fluorescence measurements place at beamline L of HASYLAB. *Journal of trace and microprobe techniques*, 14(3), 561-587.

- (13) **Romano C.**, Dingwell D.B., Behrens H., Dolfi D., 1996. Compositional dependence of H₂O solubility along the joins: NaAlSi₃O₈-KAlSi₃O₈, NaAlSi₃O₈-LiAlSi₃O₈ and KAlSi₃O₈-LiAlSi₃O₈. *American Mineralogist*, 81, 452-461.
- (14) Dingwell D.B., **Romano C.**, Hess K.U., 1996. The effect of water on the viscosity of a haplogranitic melt under P-T-X- conditions relevant to silicic volcanism. *Contribution to Mineralogy and Petrology*, 124,19-28.
- (15) Behrens H., **Romano C.**, Nowak M., Holtz F., Dingwell D.B., 1996. Near-Infrared spectroscopic determination of water species in glasses of the system MA₂Si₃O₈ (M= Li, Na, K): an interlaboratory study. *Chemical Geology*, 128,41-63.
- (16) **Romano C.**, Mungall J. Dingwell D.B., Bagdassarov N., 1996. Tensile strengths of hydrous vesicular glasses: An experimental study. *American Mineralogist*, 81, 1148-1154.
- (17) Mungall J., Bagdassarov N., **Romano C.**, Dingwell D.B., 1996. Numerical modelling of stress generation and microfracturing of vesicle walls in glassy rocks. *Journal of Volcanology and Geothermal Research*, 73, 33-46.
- (18) Stevenson R.J., Bagdassarov N., **Romano C.**, 1997. Vesiculation processes in a water-rich calc-alkaline obsidian. *Earth and Planetary Science Letters*, 146, 555-571.
- (19) Wu Z.Y., **Romano C.**, Marcelli A., Mottana A., Cibin G., Della Ventura G., Giuli G., Courtial P., Dingwell D.B., 1998. Evidence for Al/Si tetrahedral network in aluminosilicate glasses from Al K-edge x-ray absorption spectroscopy. *Laboratori Nazionali di Frascati, SIS - Pubblicazioni LNF-98/037*, 1-10.
- (20) Stevenson R.J., Bagdassarov N., Dingwell D.B., **Romano C.**, 1998. The influence of trace amount of water on the viscosity of rhyolites. *Bulletin of Volcanology*, 60, 89-97.
- (21) **Romano C.**, Dingwell D.B., Lechtenberg F., 1998. Synchrotron X-ray fluorescence analysis of gas bubbles in glass. *Physics and Chemistry of Glasses*, 39(3), 181-183.
- (22) Dingwell D.B., Hess K.U., **Romano C.**, 1998. Viscosity data for hydrous peraluminous granitic melts: Comparison with a metaluminous model. *American Mineralogist*, 83, 236-239.
- (23) Dingwell D.B., Hess K.U., **Romano C.**, 1998. Extremely fluid behavior of hydrous peralkaline rhyolites. *Earth and Planetary Sciences Letters*, 158, 31-38.
- (24) Mungall J., **Romano C.**, Dingwell D.B., 1998. Multicomponent diffusion in the molten system K₂O-Na₂O-Al₂O₃-SiO₂-H₂O. *American Mineralogist*, 83, 685-699.
- (25) Wu Z.Y., **Romano C.**, Marcelli A., Mottana A., Cibin G., Della Ventura G., Giuli G., Courtial P. e Dingwell D.B., 1999. Evidence for Al/Si tetrahedral network in aluminosilicate glasses from Al K-edge x-ray-absorption spectroscopy. *Physics Review B*, 60 [13], 9216-9219.
- (26) **Romano C.**, 1999. Metodologie analitiche: Metodi di sintesi e analisi dell'acqua nei vetri. *Plinius*, 21, 180-200

- (27) Signorelli S., Vaggelli G., **Romano C.**, 1999. Pre-eruptive volatile (H₂O, F, Cl, and S) contents of phonolitic magmas feeding the 3550-year-old Avellino eruption from Vesuvius, southern Italy. *Journal of Volcanology and Geothermal Research*, 93 3-4, 237-256.
- (28) **Romano C.**, Paris E., Poe B.T., Giuli G., Dingwell D.B., Mottana A., 2000. Effect of aluminum on Ti-coordination in silicate glasses: a XANES Study. *American Mineralogist*, 85, 108-117.
- (29) Dingwell, D.B., Hess, K.U., **Romano, C.**, 2000. Viscosities of granitic (*sensu lato*) melts: influence of the anorthite component. *American Mineralogist*, 85, 1342-1348.
- (30) Giordano D., Dingwell D.B., **Romano C.**, 2000 . Viscosity of a Teide phonolite in the welding interval. *Journal of Volcanological and Geothermal Research*, 103, 239-245.
- (31) Poe B.T., **Romano C.**, Zotov N., Cibin G., Marcelli A., 2001. Compression mechanisms in aluminosilicate melts: Raman and XANES spectroscopy of glasses quenched from pressures up to 10 GPa. *Chemical Geology*, 174, 21-31.
- (32) **Romano C.**, Poe B.T., Mincione V., Hess K.U., Dingwell D.B., 2001. The viscosities of dry and hydrous XAlSi₃O₈ (X=Li, Na, K, Ca_{0.5}, Mg_{0.5}) melts. *Chemical geology*, 174, 115-132.
- (33) Signorelli, S., Vaggelli, G., **Romano, C.**, Carroll, M.R., 2001. Volatile element zonation in Campanian Ignimbrite magmas (Phlegrean Fields, Italy): evidence from the study of glass inclusions and matrix glasses. *Contribution to Mineralogy and Petrology*, 140, 543-553.
- (34) Freda C., Baker D.R., **Romano C.**, Scarlato P., 2003. Water diffusion in natural potassic melt". In *Volcanic Degassing: experiments, models, observations and impacts* (eds. Oppenheimer C., Pyle D.M., Barclay J.). Geological Society of London, Special Publication, 213, 53-62.
- (35) **Romano C.**, Giordano D., Mincione V., Hess K.U., Dingwell D. e Papale P., 2003. The dry and hydrous viscosities of alkaline melts from Vesuvius and Phlegrean Fields. *Chemical Geology*, 202, 23-38.
- (36) Poe B.T., **Romano C.**, Henderson G., 2004. Raman and XANES spectroscopy of permanently densified vitreous silica. *Journal of Non-Crystalline Solids*, 341, 162-169.
- (37) Polacci M., Papale P., Del Seppia D., Giordano D., **Romano C.**, 2004. Dynamics of magma ascent and fragmentation in trachytic versus rhyolitic eruptions. *Journal of Volcanology and Geothermal Research*, 131, 93-108.
- (38) Giuli G., Paris E., Mungall J., **Romano C.**, Dingwell D.B., 2004. V oxidation state and coordination number in silicate glasses by XAS. *American Mineralogist*, 89, 1640-1646.
- (39) Giordano D., **Romano C.**, Papale P., Dingwell D.B., 2004. The viscosity of trachytes, and comparison with basalts, phonolites, and rhyolites. *Chemical Geology*, 213, 49-61.

- (40) Giordano D., **Romano C.**, Poe B.T., Dingwell D.B., Behrens H., 2004. The combined effects of water and fluorine on the viscosity of silicic magmas. *Geochimica et Cosmochimica Acta*, 68, 5159- 5168.
- (41) **Romano C.**, Poe B.T., Kreidie N., McMammon C., 2006. Electrical conductivities of pyrope-almandine garnets up to 19 GPa and 1700°C. *American Mineralogist*, 91: 1371-1377.
- (42) Giordano D., Mangiacapra A., Potuzak M., Russell J.K., **Romano C.**, Dingwell D.B., Di Muro A., 2006. An expanded non-Arrhenian model for silicate melt viscosity: A treatment for metaluminous, peraluminous and peralkaline liquids. *Chemical Geology*, 229, 42-56.
- (43) Poe B.T., **Romano C.**, Liebske C., Rubie D.C., Tarasaki H., Suzuki A., Funakoshi K., 2006. High temperature measurements of hydrous albite liquid using in-situ falling-sphere viscometry at 2.5 GPa. *Chemical Geology*, 229, 2-9.
- (44) Misiti V., Freda C., Taddeucci J., **Romano C.**, Scarlato P., Longo A., Papale P., Poe B.T., 2006. The effect of H₂O on the viscosity of K-trachytic melts at magmatic temperatures. *Chemical Geology*, 235, 124-137.
- (45) Di Muro A., Giordano D., Villemant B., Montagnac G., Scaillet B., **Romano C.**, 2006. Influence of composition and thermal history of volcanic glasses on water content as determined by microRaman spectrometry. *Applied Geochemistry*, 21, 802-812.
- (46) Robert G., Russell J.K., Giordano D., **Romano C.**, 2008. High-Temperature deformation of volcanic materials in the presence of Water. *American Mineralogist*, 93, 74-80. DOI: 10.2138/am.2008.2665
- (48) Iezzi G., Mollo S., Ventura G., Cavallo A., **Romano C.**, 2008. Experimental solidification of anhydrous latitic and trachytic melts at different cooling rates: The role of nucleation kinetics. *Chemical Geology*, 253, 91-101. 10.1016/j.chemgeo.2008.04.008
- (47) Giordano D., Potuzak M., **Romano C.**, Dingwell D.B., Nowak M., 2008. Viscosity and glass transition temperature of hydrous melts in the system CaAl₂Si₂O₈-CaMgSi₂O₆. *Chemical Geology*, 256, 3-4, 202-214 doi:10.1016/j.chemgeo.2008.06.027.
- (49) Caricchi L., Giordano D., Burlini L., Ulmer P., **Romano C.**, 2008. Rheological properties of magma from the 1538 eruption of Monte Nuovo (Phlegrean Fields, Italy): An experimental study. *Chemical Geology*, 256, 3-4, 158-171. doi:10.1016/j.chemgeo.2008.06.035.
- (50) Poe B.T., **Romano C.**, Varchi V., Misiti V., Scarlato P., 2008. Electrical conductivity of a phonotephrite from Mt Vesuvius: The importance of chemical composition on the electrical conductivity of silicate melts. *Chemical Geology* 256, 3-4, 192-201 doi: 10.1016/j.chemgeo.2008.06.026.
- (51) Romano C., Poe B.T., Tyburczy J., Nestola F., 2009. Electrical conductivity of hydrous wadsleyite. *European Journal of Mineralogy*, 21, 615-622 DOI: 10.1127/0935-1221/2009/0021-1933

- (52) D. Giordano, P. Ardia, **C. Romano**, D.B. Dingwell, Di Muro A., M.W. Schmidt, Mangiacapra A., Hess K.U. 2009. [The rheological evolution of alkaline Vesuvius magmas and comparison with alkaline series from Phlegrean Fields, Etna and Teide volcanic systems](#). *Geochimica et Cosmochimica Acta* 73, 6613-6630.
- (53) Giordano, D., Romano, C. 2009. Proprietà reologiche dei fusi naturali: i liquidi magmatici. *Panta Rei*, 1, 10-15.
- (54) Poe B.P., **Romano C.** e Nestola F Smith, J., "Electrical conductivity anisotropy in dry and hydrous olivine". Sottomesso a *Physics of the Earth and Planetary Interiors*.